

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9171	@ad<"20031119" and (BAN or basic near2 access near2 network)	US-PGPUB; USPAT	OR	ON	2009/09/01 08:52
L2	4	@ad<"20031119" and (BAN or basic near2 access near2 network) same multi \$1cast\$4	US-PGPUB; USPAT	OR	ON	2009/09/01 08:52
L4	103	@ad<"20031119" and (seam\$1less near2 roam\$3 or session near2 continu\$7 or (hand\$1over or hand\$3 adj off)) with multi\$1cast\$4	US-PGPUB; USPAT	OR	ON	2009/09/01 08:59
L5	0	@ad<"20031119" and (seam\$1less near2 roam\$3 or session near2 continu\$7 or (hand\$1over or hand\$3 adj off)) with multi\$1cast\$4 near3 (through or by)	US-PGPUB; USPAT	OR	ON	2009/09/01 08:59
L6	704	@ad<"20031119" and mobile near3 IP with (register\$7 or updat\$4)	US-PGPUB; USPAT	OR	ON	2009/09/01 09:34
L7	22	@ad<"20031119" and mobile near3 IP with (register\$7 or updat\$4) with multi \$1cast\$4	US-PGPUB; USPAT	OR	ON	2009/09/01 09:35
S2	1	"10579733"	US-PGPUB; USPAT	OR	ON	2009/03/04 10:21
S3	20	"6314295"	US-PGPUB; USPAT	OR	ON	2009/03/04 12:18
S4	203	"5959577"	US-PGPUB; USPAT	OR	ON	2009/03/04 12:19
S5	27	"5959577" and (fan).in.	US-PGPUB; USPAT	OR	ON	2009/03/04 12:19
S6	10080	@ad<"20031119" and (GPS or global adj position adj system) and (wire\$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 12:26
S7	10080	@ad<"20031119" and (GPS or (global adj position adj system)) and (wire\$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 12:33
S8	5475	@ad<"20031119" and (GPS or (global adj position adj system)) and (wire\$1less or radio or mobile or cellular) near2 network and server	US-PGPUB; USPAT	OR	ON	2009/03/04 12:34
S9	85	@ad<"20031119" and (GPS or (global adj position adj system)) and (wire\$1less or radio or mobile or cellular) near2 network and home adj agent	US-PGPUB; USPAT	OR	ON	2009/03/04 12:34

S10	12	"5959577" and seamless	US-PGPUB; USPAT	OR	ON	2009/03/04 12:43
S11	12	"5959577" and seam\$1less	US-PGPUB; USPAT	OR	ON	2009/03/04 12:43
S12	179	"5959577" and (GPS or global adj position adj system)	US-PGPUB; USPAT	OR	ON	2009/03/04 13:35
S13	179	@ad<"20031119" and (GPS or (global adj position adj system)) and multi\$1cast \$7 and seam\$1less	US-PGPUB; USPAT	OR	ON	2009/03/04 13:42
S14	153	@ad<"20031119" and (GPS or (global adj position adj system)) and multi\$1cast \$7 and seam\$1less and (wire\$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 14:01
S15	0	@ad<"20031119" and (GPS or (global adj position adj system)) same multi \$1cast\$7 same seam\$1less same (wire \$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 14:04
S16	0	@ad<"20031119" and (GPS or (global adj position adj system)) same multi \$1cast\$7 same seam\$1less and (wire \$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 14:05
S17	6	@ad<"20031119" and (GPS or (global adj position adj system)) same multi \$1cast\$7 and seam\$1less and (wire \$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 14:05
S18	7	@ad<"20031119" and (GPS or (global adj position adj system)) and multi\$1cast \$7 and seam\$1less with (hand\$1over or hand\$3 adj off) and (wire\$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 14:06
S19	8	@ad<"20031119" and (GPS or (global adj position adj system)) same seam \$1less with (hand\$1over or hand\$3 adj off)	US-PGPUB; USPAT	OR	ON	2009/03/04 14:13
S20	259	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand\$3 adj off)	US-PGPUB; USPAT	OR	ON	2009/03/04 14:25
S21	33	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand\$3 adj off) and (GPS or (global adj position adj system))	US-PGPUB; USPAT	OR	ON	2009/03/04 14:26
S22	3	@ad<"20031119" and "5959577" and seam\$1less	US-PGPUB; USPAT	OR	ON	2009/03/04 15:56
S23	40565	@ad<"20031119" and (table or data \$1base) near3 server	US-PGPUB; USPAT	OR	ON	2009/03/04 15:58
S24	4388	@ad<"20031119" and (table or data \$1base) near3 (server or host) and (status and preference and configuration)	US-PGPUB; USPAT	OR	ON	2009/03/04 15:59

S25	250	@ad<"20031119" and (table or data \$1base) near3 (server or host) and (status and preference and configuration) with (table or data\$1base)	US-PGPUB; USPAT	OR	ON	2009/03/04 15:59
S26	0	@ad<"20031119" and (table or data \$1base) near3 (server or host) and (status and preference and configuration) with (table or data\$1base) and home near3 agent near3 server	US-PGPUB; USPAT	OR	ON	2009/03/04 16:01
S27	0	@ad<"20031119" and (table or data \$1base) near3 (server or host) and (status and preference and configuration) with (table or data\$1base) and home near3 agent with (host or server)	US-PGPUB; USPAT	OR	ON	2009/03/04 16:01
S28	83	@ad<"20031119" and (table or data \$1base) near3 (server or host) and (status and preference and configuration) with (table or data\$1base) and (wire \$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 16:02
S29	1	@ad<"20031119" and (table or data \$1base) near3 (server or host) and (terminal or device or node) with (status and preference and configuration) with (table or data\$1base) and (wire\$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 16:03
S30	3	"7222154"	US-PGPUB; USPAT	OR	ON	2009/03/04 16:04
S31	196	("20020029186"   "20020052965"   "20030050019"   "20030069029"   "20040062213"   "4325146"   "4977501"   "5081707"   "5126941"   "5155689"   "5223844"   "5313582"   "5351052"   "5365451"   "5392390"   "5406491"   "5416473"   "5416842"   "5424727"   "5436960"   "5470233"   "5477215"   "5479472"   "5487100"   "5541583"   "5543789"   "5561704"   "5565874"   "5570417"   "5572528"   "5603054"   "5608788"   "5627549"   "5648768"   "5675507"   "5682525"   "5684859"   "5689825"   "5710702"   "5712899"   "5717392"   "5732074"   "5744787"   "5745695"   "5751227"   "5754786"   "5767795"   "5771353"   "5790642"   "5796728"   "5802492"   "5809415"   "5819046"   "5819284"   "5838682"   "5839088"   "5848373"   "5850618"   "5862339"   "5864764"   "5864823"   "5867110"   "5870741"   "5884033"   "5887254"   "5889845"   "5898680"   "5900825"   "5905865"   "5930474"   "5938721"   "5941946"   "5949776"   "5959577"   "5961590"   "5982325"   "5987062"   "6005926"   "6009355"   "6014090"   "6023708"   "6028537"   "6029141"   "6035104"   "6047236"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/04 16:04

		"6049711"   "6052439"   "6052600"   "6058422"   "6061565"   "6067008"   "6072483"   "6073165"   "6076075"   "6085192"   "6088594"   "6091956"   "6101531"   "6107940"   "6108533"   "6115754"   "6122520"   "6131121"   "6134432"   "6148261"   "6151606"   "6154212"   "6154461"   "6154745"   "6170026"   "6175589"   "6185204"   "6185205"   "6199045"   "6201962"   "6202023"   "6205211"   "6219694"   "6230012"   "6236652"   "6243572"   "6256498"   "6269402").PN. OR ("6285858"   "6289464"   "6295482"   "6308281"   "6321090"   "6327533"   "6332127"   "6334131"   "6342844"   "6353398"   "6400941"   "6401085"   "6408307"   "6411679"   "6415271"   "6415291"   "6421707"   "6442598"   "6452910"   "6456603"   "6468076"   "6470179"   "6470447"   "6487406"   "6490443"   "6497371"   "6515985"   "6515997"   "6519571"   "6522875"   "6535493"   "6546261"   "6546425"   "6549612"   "6549625"   "6556586"   "6563919"   "6571290"   "6574239"   "6577229"   "6584321"   "6594488"   "6594692"   "6600734"   "6611810"   "6622124"   "6639550"   "6643684"   "6650899"   "6654359"   "6654615"   "6680923"   "6687243"   "6693886"   "6704303"   "6708221"   "6714536"   "6714969"   "6724833"   "6757518"   "6775563"   "6776339"   "6778832"   "6789102"   "6804720"   "6806866"   "6816083"   "6826405"   "6829587"   "6904449"   "6970850"   "7089209"   "7110744").PN.				
S32	196	S31 and @ad<"20031119"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/04 16:06
S33	6	S31 and @ad<"20031119" and (terminal or device or node) with (status or preference or configuration) with (table or data\$1base)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/04 16:06
S34	1	"20040023652"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/04 16:57
S35	302	@ad<"20031119" and (wire\$1less or radio or mobile or cellular) near2 network same internet same subscriber near3 info \$7	US-PGPUB; USPAT	OR	ON	2009/03/04 17:01
S36	52	@ad<"20031119" and (wire\$1less or radio or mobile or cellular) near2 network same internet same subscriber near3 info \$7 with data\$1base	US-PGPUB; USPAT	OR	ON	2009/03/04 17:01

S37	53	@ad<"20031119" and (wire\$1less or radio or mobile or cellular) near2 network same internet same subscriber near3 info\$7 with (data\$1base or table)	US-PGPUB; USPAT	OR	ON	2009/03/04 17:01
S38	285	@ad<"20031119" and (wire\$1less or radio or mobile or cellular) near2 network same internet same (user or subscriber or terminal or device) near3 (info\$7 or profile or status or preference or configuration) with (data\$1base or table)	US-PGPUB; USPAT	OR	ON	2009/03/04 17:13
S39	80	@ad<"20031119" and (wire\$1less or radio or mobile or cellular) near2 network same internet same (user or subscriber or terminal or device) near3 (info\$7 or profile or status or preference or configuration) with (data\$1base or table) and (GPS or (global adj position adj system))	US-PGPUB; USPAT	OR	ON	2009/03/04 17:13
S40	9	@ad<"20031119" and (wire\$1less or radio or mobile or cellular) near2 network same internet same (user or subscriber or terminal or device) near3 (info\$7 or profile or status or preference or configuration) with (data\$1base or table) and (GPS or (global adj position adj system)) and seam\$1less	US-PGPUB; USPAT	OR	ON	2009/03/04 17:18
S41	4139	@ad<"20031119" and radio adj access adj network	US-PGPUB; USPAT	OR	ON	2009/03/05 10:00
S42	388	@ad<"20031119" and (radio adj access adj network) and (GPS or global adj position adj system)	US-PGPUB; USPAT	OR	ON	2009/03/05 10:00
S43	59	@ad<"20031119" and (radio adj access adj network) and (GPS or global adj position adj system) and multi\$1cast\$7	US-PGPUB; USPAT	OR	ON	2009/03/05 10:18
S44	1	@ad<"20031119" and (radio adj access adj network) and (GPS or global adj position adj system) and multi\$1cast\$7 and seam\$1less near2 (hand\$1over or hand adj (over or off))	US-PGPUB; USPAT	OR	ON	2009/03/05 10:29
S45	13	"6611688"	US-PGPUB; USPAT	OR	ON	2009/03/05 13:16
S46	2	"20020022488"	US-PGPUB; USPAT	OR	ON	2009/03/05 13:18
S47	117	@ad<"20031119" and multi\$1cast\$7 same ((radio or wire\$1less) adj access\$7 adj network)	US-PGPUB; USPAT	OR	ON	2009/03/05 13:20
S48	1	"20070243821"	US-PGPUB; USPAT	OR	ON	2009/03/05 13:43
S49	263	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off))	US-PGPUB; USPAT	OR	ON	2009/03/05 15:54

S50	132	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table)	US-PGPUB; USPAT	OR	ON	2009/03/05 15:54
S51	8	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table) with MSC	US-PGPUB; USPAT	OR	ON	2009/03/05 16:24
S52	8	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table) with (MSC or mobile adj switch adj center)	US-PGPUB; USPAT	OR	ON	2009/03/05 16:24
S53	33	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table) with rout\$7	US-PGPUB; USPAT	OR	ON	2009/03/05 16:26
S54	0	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table) with rout\$7 and (data\$1base or table) with connect \$7 near3 type	US-PGPUB; USPAT	OR	ON	2009/03/05 16:28
S55	0	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table) with rout\$7 and (data\$1base or table) with connect \$7 near3 config\$7	US-PGPUB; USPAT	OR	ON	2009/03/05 16:28
S56	1	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table) with rout\$7 and (data\$1base or table) with (connect \$7 or interfac\$7 or network) near3 (config \$7 or type)	US-PGPUB; USPAT	OR	ON	2009/03/05 16:28
S57	5	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table) with (connect \$7 or interfac\$7 or network) near3 (config \$7 or type)	US-PGPUB; USPAT	OR	ON	2009/03/05 16:38
S58	5	@ad<"20031119" and (seam\$1less or loss \$1less) near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table) with (connect\$7 or interfac\$7 or network) near3 (config\$7 or type)	US-PGPUB; USPAT	OR	ON	2009/03/05 16:39
S59	1	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table) with (connect \$7 or interfac\$7) near3 (config\$7 or type or profile)	US-PGPUB; USPAT	OR	ON	2009/03/05 16:45
S60	7013	@ad<"20031119" and (data\$1base or table) with (connect\$7 or interfac\$7) near3 (config\$7 or type or profile)	US-PGPUB; USPAT	OR	ON	2009/03/05 16:46
S61	175	@ad<"20031119" and (data\$1base or table) with (connect\$7 or interfac\$7) near3 (config\$7 or type or profile) and (hand\$1over or hand adj (off or over))	US-PGPUB; USPAT	OR	ON	2009/03/05 16:47
S62	9481	@ad<"20031119" and (data\$1base or table) with (connect\$7 or interfac\$7) near3 (config\$7 or type or profile) (data \$1base or table) with rout\$3 and (hand \$1over or hand adj (off or over))	US-PGPUB; USPAT	OR	ON	2009/03/05 16:51

S63	81	@ad<"20031119" and (data\$1base or table) with (connect\$7 or interfac\$7) near3 (config\$7 or type or profile) and (data\$1base or table) with rout\$3 and (hand\$1over or hand adj (off or over))	US-PGPUB; USPAT	OR	ON	2009/03/05 16:51
S64	15	@ad<"20031119" and (data\$1base or table) with (connect\$7 or interfac\$7) near3 (config\$7 or type or profile) and (data\$1base or table) with rout\$3 and (hand\$1over or hand adj (off or over)) and HLR	US-PGPUB; USPAT	OR	ON	2009/03/05 16:52
S65	175	@ad<"20031119" and (data\$1base or table) with (connect\$7 or interfac\$7) near3 (config\$7 or type or profile) and (hand\$1over or hand adj (off or over))	US-PGPUB; USPAT	OR	ON	2009/03/05 17:10
S66	1	@ad<"20031119" and (data\$1base or table) with (connect\$7 or interfac\$7) near3 (config\$7 or type or profile) and seam\$1less near3 (hand\$1over or hand adj (off or over))	US-PGPUB; USPAT	OR	ON	2009/03/05 17:10
S67	8	@ad<"20031119" and (data\$1base or table) with (terminal or device) near3 (config\$7 or type or profile) and seam\$1less near3 (hand\$1over or hand adj (off or over))	US-PGPUB; USPAT	OR	ON	2009/03/05 17:11
S68	2	"20050154774"	US-PGPUB; USPAT	OR	ON	2009/03/05 17:22
S69	0	"20020016171"	USPAT	OR	OFF	2009/03/06 12:04
S70	0	"2002016171"	US-PGPUB; USPAT	OR	ON	2009/03/06 12:05
S71	1	"20020016171"	US-PGPUB; USPAT	OR	ON	2009/03/06 12:05
S72	548	@ad<"20031119" and (GPS or (global adj position adj system)) same map same server	US-PGPUB; USPAT	OR	ON	2009/03/06 15:14
S73	73	@ad<"20031119" and (GPS or (global adj position adj system)) same map with request\$7 same server	US-PGPUB; USPAT	OR	ON	2009/03/06 15:38
S74	90	"5610821"	US-PGPUB; USPAT	OR	ON	2009/03/06 15:43
S75	54	@ad<"20031119" and (GPS or (global adj position adj system)) same map with request\$7 same server and (wire\$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/06 15:49
S76	14	((MASUGI) near2 (INOUE)).INV.	US-PGPUB; USPAT	OR	OFF	2009/03/07 09:28

S77	20	((MIKIO) near2 (HASEGAWA)).INV.	US-PGPUB; USPAT	OR	OFF	2009/03/07 09:28
S78	46	((KHALED) near2 (MAHMUD)).INV.	US-PGPUB; USPAT	OR	OFF	2009/03/07 09:28
S79	6	((HOMARE) near2 (MURAKAMI)).INV.	US-PGPUB; USPAT	OR	OFF	2009/03/07 09:28
S80	0	(S76 or S77 or S78 or S79) and (global adj position\$3 adj system).clm.	USPAT	OR	OFF	2009/03/07 09:29
S81	17	(S76 or S77 or S78 or S79) and (position \$3 or locat\$3).clm.	USPAT	OR	OFF	2009/03/07 09:29
S82	1	(S76 or S77 or S78 or S79) and ((position \$3 or locat\$3) and (wire\$1less or mobile or cellular or radio)).clm.	USPAT	OR	OFF	2009/03/07 09:30
S83	236	(370/432).ccls. and ((position\$3 or locat \$3) and (wire\$1less or mobile or cellular or radio))	USPAT	OR	OFF	2009/03/07 09:31
S84	9	(370/432).ccls. and ((GPS or global adj position\$3 adj system) and (wire\$1less or mobile or cellular or radio))	USPAT	OR	OFF	2009/03/07 09:31
S85	21	(370/431,432).ccls. and ((GPS or global adj position\$3 adj system) and (wire \$1less or mobile or cellular or radio))	USPAT	OR	OFF	2009/03/07 09:32
S86	518	(455/403,414.1,414.2,414.3).ccls. and ((GPS or global adj position\$3 adj system) and (wire\$1less or mobile or cellular or radio))	USPAT	OR	OFF	2009/03/07 09:33
S87	425	(455/403,414.1,414.2,414.3).ccls. and ((GPS or global adj position\$3 adj system) and (wire\$1less or mobile or cellular or radio) near3 network)	USPAT	OR	OFF	2009/03/07 09:34
S88	252	(455/403,414.1,414.2,414.3).ccls. and ((GPS or global adj position\$3 adj system) and (wire\$1less or mobile or cellular or radio) near3 network and map \$4)	USPAT	OR	OFF	2009/03/07 09:34
S89	45	(455/403,414.1,414.2,414.3).ccls. and ((GPS or global adj position\$3 adj system) and (wire\$1less or mobile or cellular or radio) near3 network and map \$4 with request\$3)	USPAT	OR	OFF	2009/03/07 09:35
S90	1	(370/431,432).ccls. and ((GPS or global adj position\$3 adj system) and (wire \$1less or mobile or cellular or radio) near3 network and map\$4 with request \$3)	USPAT	OR	OFF	2009/03/07 09:35
S91	35	(455/403,414.1,414.2,414.3).ccls. and ((GPS or global adj position\$3 adj system) and (wire\$1less or mobile or cellular or radio) near3 network and map \$4 with request\$3) and @ad<"20031119"	USPAT	OR	OFF	2009/03/07 09:36



S92	2	(455/403,414.1,414.2,414.3).cds. and ((GPS or global adj position\$3 adj system) and (wire\$1less or mobile or cellular or radio) near3 network and map \$4 with request\$3 and (hand\$1over or hand adj (over or off))) and @ad<"20031119"	USPAT	OR	OFF	2009/03/07 09:37
S93	493	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand\$3 adj off or roam\$3 or session near2 continu\$7)	US-PGPUB; USPAT	OR	ON	2009/08/31 15:17
S94	2	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand\$3 adj off or roam\$3 or session near2 continu\$7) same multi \$1cast\$4	US-PGPUB; USPAT	OR	ON	2009/08/31 15:18
S95	35	@ad<"20031119" and (seam\$1less near2 (hand\$1over or hand\$3 adj off or roam \$3) or session near2 continu\$7) same multi\$1cast\$4	US-PGPUB; USPAT	OR	ON	2009/08/31 15:19
S96	144	@ad<"20031119" and (seam\$1less near2 (hand\$1over or hand\$3 adj off) or roam \$3 or session near2 continu\$7) same multi\$1cast\$4	US-PGPUB; USPAT	OR	ON	2009/08/31 15:19
S97	177	@ad<"20031119" and (seam\$1less near2 roam\$3 or session near2 continu\$7 or (hand\$1over or hand\$3 adj off)) same multi\$1cast\$4	US-PGPUB; USPAT	OR	ON	2009/08/31 15:19
S98	28	@ad<"20031119" and (seam\$1less near2 roam\$3 or session near2 continu\$7 or (hand\$1over or hand\$3 adj off)) same multi\$1cast\$4 same (radio or wire\$1less or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/08/31 15:20

9/ 1/ 2009 10:29:31 AM

C:\ Documents and Settings\ cjiang1\ My Documents\ EAST\ Workspaces\ 10579733.wsp